

# MATERIAL SAFETY DATA SHEETS

**Applicant** : Yiwu Bozan Automobile Supplies Co., Ltd.  
**Address** : B811, E-commerce Building, 407 Yongjun Road, Beiyuan Street, Yiwu City, Zhejiang Province  
**Manufacturer** : Yiwu Bozan Automobile Supplies Co., Ltd.  
**Address** : B805, E-commerce Building, 407 Yongjun Road, Beiyuan Street, Yiwu City, Zhejiang Province

## SAMPLE INFORMATION

**Sample name** : Touch up paint  
**Sample Model** : FG080  
**Trademark** : Xtryfun

## TEST INFORMATION

**Receipt Date** : 2023-07-30  
**Issue Date** : 2023-07-30 to 2024-07-29  
**Test Items** : Material Safety Data Sheets

## REMARKS

1. The test report is valid for above tested sample only and shall not be reproduced in part without written approval of the laboratory.
2. Sample State: Liquid
3. Sample Package: Intact
4. Ambient Condition During Testing: 20 °C, 45% RH.

*Tim Chen*

Test/Witness Engineer



Approved & Authorized



## Section 1 - Material and vendor information

**Identification of the preparation** : Touch up paint  
**Company Identification** : Yiwu Bozan Automobile Supplies Co., Ltd.  
**Company Address** : B811, E-commerce Building, 407 Yongjun Road, Beiyuan Street, Yiwu City, Zhejiang Province  
**Off-hour Emergency Phone Number** : 0752-5700986  
**Email** : N/A  
**Fax** : 0752-5700986

## Section 2 - Composition/ Information on Ingredients

Chemical Name	CAS RN	%by Weight
The paint	8030-30-6	90%
other	----	10%

## Section 3 - Hazards Identification

GHS Hazard Categories: The product is not classified according to the GHS regulation.  
 Pictograms: None  
 Hazard information: None  
 Invasion route: None  
 Health hazards: Normal use,no harm to the human body.  
 ·Storage: P235 Keep cool.  
 ·Disposal: P501 Dispose of contents and container in accordance with national regulations.

## Section 4 - Emergency Treatment

Skin contact: Remove contaminated clothes and rinse with plenty of flowing water.  
 Eye contact: Lift eyelids and rinse with flowing water or saline. Seek medical advice.  
 Inhalation: Departure from site to fresh air. If breathing is difficult, give oxygen. Seek medical advice. Eat plenty of warm water and vomit. Seek medical advice

## Section 5 - Fire-fighting measures

Dangerous characteristics:There is no danger in normal use, if easy to cause combustion when exposed to open fire and.  
 Harmful combustion products: carbon monoxide, carbon dioxide.  
 Extinguishing method: Move the container from the fire to an open area as far as possible.Spray water to keep fire containers cool until extinguishing is complete.Extinguishing media: soluble foam, dry powder, carbon dioxide, sand.

---

## Section 6 - Emergency Handling of Leakage

Emergency treatment: evacuate the personnel from the contaminated area to the safe area, isolate them and strictly restrict their access. Cut off the fire. It is recommended that emergency responders wear self-contained positive pressure respirators and antistatic overalls. Cut off the source as much as possible. Prevent restricted Spaces such as drains, drainage ditches, etc. Small leakage: adsorb or absorb with sand or other non-combustible materials. You can also flush with a lot of water, dilute the water and put it in the waste water system. Massive leakage: levee or pit. Cover with foam to reduce steam hazards. Transfer to tank truck or special collector with explosion-proof pump to recover or transport to waste disposal site.

## Section 7 - Safety Handling and Storage

Operational precautions: Close operation, strengthen ventilation. Operators must be specially trained and strictly abide by the operating rules. Operators are advised to wear self-priming filter dust-proof masks, chemical safety glasses, anti-dust penetration work clothes and rubber gloves. Keep away from fire and heat sources. Smoking is strictly prohibited in the workplace. Use explosion-proof ventilation system and equipment. Avoid producing dust. Avoid contact with oxidants. Handling should be light loading and unloading to prevent damage to packaging and containers. Equipped with the corresponding variety and quantity of fire fighting equipment and leakage emergency treatment equipment. Empty containers may retain harmful substances. Store in a cool, ventilated warehouse. Keep away from fire and heat sources. It should be stored separately from the oxidant and should not be mixed. Equipped with the corresponding variety and quantity of fire fighting equipment. The storage area should be equipped with suitable materials to accommodate leaks.

## Section 8 - Contact Control and Personal Protection

China MAC (mg/m<sup>3</sup>) does not set standards  
Former Soviet Union MAC (mg/m<sup>3</sup>) does not set standards  
TLVTN has no standard  
TLVWN does not set standards  
Engineering control: production process is sealed and ventilation is strengthened.  
When the dust concentration in the air exceeds the standard, the self-priming filter dust mask must be worn. Air respirators should be worn in emergency rescue or evacuation.  
Eye protection: Wear chemical safety glasses.  
Physical protection: Wear anti-dust penetration work clothes.  
Hand protection: wear rubber gloves.  
Other protective measures: changing and washing work clothes in time. Keep good hygiene habits.

## Section 9 - Physical and Chemical Properties

Main ingredients  
Appearance and property: Silver grey liquid  
Odour: N/A  
PH : N/A  
Melting Point (°C) : N/A  
Boiling Point (°C) : N/A  
Relative density (water = 1) : N/A  
Relative vapor density (air = 1): N/A  
Octanol/water partition coefficient: N/A  
Flash point (°C) : N/A  
Ignition temperature (°C) : N/A  
Upper limit of explosion [% (V/V)] : N/A  
Lower limit of explosion [% (V/V)] : N/A

Heat of combustion (kJ/mol) : N/A  
Critical temperature (°C) : N/A  
Critical pressure (MPa) : N/A  
Solubility: miscible with water, soluble in ether, chloroform, glycerin and other organic solvents.

## Section 10 - Stability and Reactivity

Stability: Stability  
Banned substances: strong oxidant, acid, anhydride, alkali metal, amine.  
Conditions to avoid contact:  
Polymerization hazard: non-polymerization

## Section 11 - Toxicology Analysis

Acute toxicity: None  
Subacute and chronic toxicity: None  
Irritation: None  
Allergenicity: None  
Mutagenicity: None  
Carcinogenicity: None  
Others: None

## Section 12 - Ecological Information

Ecological toxicity: None  
Ecological degradability: None  
Non-biological degradability: None  
Biological enrichment or biological accumulating: None  
Other deleterious effect: None

## Section 13 - Waste Disposal

Waste disposal methods shall be disposed of in accordance with the requirements of relevant national and local laws and regulations. Or contact the manufacturer or manufacturer to determine the disposal method.

## Section 14 - Transportation Information

According to IATA DGR 61st (2020) for transportation. The product as a non restricted goods transport.  
UN number: None  
Risk classification: Non-dangerous goods.  
Land Transport ADR/RID: Not regulated for transport of dangerous goods.  
Maritime Transport IMO/IMDG: Not regulated for transport of dangerous goods.  
Air Transport IATA/ICAO: Not regulated for transport of dangerous goods.  
Packaging Information: Packing according to customer requirements.  
Transport Fashion: By sea、By air、By rail、By highway  
Transport Attentions: No collapse or no damage during the course of transportation. Corresponding varieties and number of fire equipment and contingency processing equipment should be equipped during the course of transportation. Strictly prohibit put the goods together with oxidizer, acid, etc. for transport. During transport, the goods should prevent exposure, rain and high temperature. Keep away from fire.

---

## Section 15 - Laws and Regulations Details

Regulatory Information:

ISO 11014-2009 Safety data sheet for chemical products - Content and order of sections.

Regulation (EC) No. 1272/2008 Classification, Labeling and Packaging of Substances and Mixtures.

《Dangerous Goods Regulation》

《International Maritime Dangerous Goods》

## Section 16 - Other Information

Department: Quality department.

Data Audit Units: Shenzhen HX Detect Certification Co., Ltd.

Disclaimer: The information in this Material Safety Data Sheet (MSDS) was obtained from sources which we believe are reliable; however, the information is provided without any representation of warranty, expressed or implied, regarding the accuracy or correctness. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage, or expense arising out of or in any way connected with the handling, storage, use, or disposal of this product. All information, recommendations, and suggestions appearing herein concerning this product are taken from sources or based upon data believed to be reliable.

\*\*\*\*\* (END OF REPORT) \*\*\*\*\*